



## Rangy Enterprise, Inc.

13831 S.W. 59 Street. No 202. Miami, Fl. 33183.  
Tel : (305) 382-3432. Fax: (305) 382-6274.  
email : rangy@rangy.com

### EQUIPO DE REFRIGERACION

#### TRUE GLASS DOOR MERCHANDISER, 1 DOOR

- Oversized environmentally friendly (134A) refrigeration - holds 32°F to 38°F (0°C to 3.3°C)
- Triple pane thermal glass.
- Exterior - durable and permanent non-peel or chip white laminated vinyl.
- Interior - attractive white anodized aluminum with 300 series stainless steel floor with convenient clean-out drain.
- Foamed-in-place polyurethane high density cell insulation (CFC Free).
- Bottom mount compressor.



- Adjustable vinyl coated wire shelves - 10 mil thick, pure grade vinyl coating.
- Safety shielded fluorescent interior lighting for longer, brighter shadow-free illumination.
- Illuminated sign.
- Self-contained system, no plumbing required.
- Available with optional castors.



Litres/ Cu. Ft.	Shelves	HP	Amp	Weight Kg.	W	D	H / cm
651/23	4	1/3	8	142	69	75	199

#### TRUE GLASS DOOR MERCHANDISER, 2 DOORS

- Oversized environmentally friendly (134A) refrigeration - holds 32°F to 38°F (0°C to 3.3°C)
- Triple pane thermal glass.
- Exterior - durable and permanent non-peel or chip white laminated vinyl.
- Interior - attractive white anodized aluminum with 300 series stainless steel floor with convenient clean-out drain.
- Foamed-in-place polyurethane high density cell insulation (CFC Free).
- Bottom mount compressor.
- Adjustable vinyl coated wire shelves - 10 mil thick, pure grade vinyl coating.
- Safety shielded fluorescent interior lighting for longer, brighter shadow-free illumination.
- Illuminated sign.
- Self-contained system, no plumbing required.



## Rangy Enterprise, Inc.

13831 S.W. 59 Street. No 202. Miami, Fl. 33183.  
 Tel : (305) 382-3432. Fax: (305) 382-6274.  
 email : rangy@rangy.com

- Available with optional castors.

- Oversized environmentally friendly (134A) refrigeration system, factory sealed and prelubricated for long life.
- Holds 20°F to 25°F (-29°C to -4°C).
- Exterior - durable and permanent non-peel or chip white laminated vinyl.
- Interior attractive white anodized aluminum with 300 series stainless steel floor. 12" (30.5 cm) basin to protect from melt-down of product.
- Defrost system time initiated, temperature terminated.
- Automatic evaporator fan motor delay during defrost cycle.
- Fluorescent interior lighting.
- Minimum wattage heater in cabinet frame and doors.
- Triple pane thermal glass.
- Adjustable vinyl coated wire shelves - 10 mil thick, pure grade vinyl coating.
- Foam-in-place polyurethane high density cell insulation (CFC Free).
- Bottom mount compressor.



Litres/ Cu. Ft.	Shelves	HP	Amp	Weight Kg.	W	D	H / cm
1388/49	8	1/2	11	215	138	75	199

### TRUE GLASS DOOR ICE MERCHANDISER, 1 DOOR

- Oversized environmentally friendly (134A) refrigeration system, factory sealed and prelubricated for long life.
- Holds 20°F to 25°F (-29°C to -4°C).
- Exterior - durable and permanent non-peel or chip white laminated vinyl.
-

- Interior attractive white anodized aluminum with 300 series stainless steel floor. 12" (30.5 cm) basin to protect from melt-down of product.
- Defrost system time initiated, temperature terminate
- Automatic evaporator fan motor delay during defrost cycle.
- Fluorescent interior lighting.
- Minimum wattage heater in cabinet frame and doors.
- Triple pane thermal glass.
- Adjustable vinyl coated wire shelves - 10 mil thick, pure grade vinyl coating.
- Foam-in-place polyurethane high density cell insulation (CFC Free).
- Bottom mount compressor.



Litres/ Cu. Ft.	Shelves	HP	Amp	Weight Kg.	W	D	H / cm
-----------------	---------	----	-----	------------	---	---	--------



## Rangy Enterprise, Inc.

13831 S.W. 59 Street. No 202. Miami, Fl. 33183.  
 Tel : (305) 382-3432. Fax : (305) 382-6274.  
 email : rangy@rangy.com

736/26	Floor rack	1/3	7	143	77x75x199
--------	------------	-----	---	-----	-----------

### COLDSTREAM VERSTILE MERCHANDISER STANDARD VERSION (Utilizado para carnes o para lacteos)

- Air Screen System
- Foamed in place Polyurethane Insulation
- 
- Night Curtain
- White Baked Enamel Exterior/ Interior
- Top mounted, self-contained refrigeration system
- Hot gas condensate removal
- Heavy duty shelving, durable steel construction
- Lighted top sign assembly with blank insert
- Interior Fluorescent Lighting



Standard Version	Shelves	CU. FT	HP	Voltage	Case AMPS	Circuit AMPS	Weight	W	D	H / inch
VASC 36	4 (16")	25.11	3/4	115	21.6	30	525 Lb	36	28.5	80.25

VASC 48	4 (16")	44.65	1	115/208/230-3W	17.8	30	585 Lb	48x28.5x80.25
VASC 60	4 (16")	56.53	1	115/208/230-3W	16.0	30	695 Lb	60x28.5x80.25